


2-Channel Frequency/Period/Accumulator Conditioner Module w/Totalizer Back-up



Applications

- Flight Test Instrumentation
- Factory Automation and Process Control
- Research Measurements and Experiments

Features

- 2-Channel Conditioner Module
- Software Programmable Operating Modes
 - Frequency Mode
 - Period Mode
 - Accumulator Mode (with roll over)
 - Accumulator Bond clear on external reset
- 24-bit Resolution
- Front-end Flexibility and Compatibility
 - Selectable AC or DC Coupling
 - Inductive Style Pickups
 - Digital (TTL) Inputs
- Back-up of Totalizer count during power loss
- Compatible with MEDAU/MCDAU-2000 System
- Windows 95/98/NT/2000 Software Included

Description

The MFPD-102B-2 is a 2-channel frequency, period and totalizer counter module for use in TTC's MEDAU-2000 or MCDAU-2000 series products. The card is capable of providing the current value of the period of a sinusoidal signal of engine fuel flow, or RPM sensors. Each card channel can accept an AC (Analog) differential input, differential digital (RS-422) input, or single ended digital input. In addition each channel is configurable in the frequency counter mode, in the average period counter mode, or in the totalizer counter mode. In the totalizer counter mode, the totalizer count is saved during a loss of power. The count is restored after power is restored. The 24 bit channel data is encoded into data words for transmission in the system PCM output format. Groups of input channels are formatted as words in the PCM output format.

Revision 02/17/2009

MFPD-102B-2 Datasheet

©2009 Teletronics Technology Corporation

Specifications subject to change without notice.



Teletronics Technology Corporation
 15 Terry Drive, Newtown, PA 18940
 phone: 267.352.2020 fax: 267.352.2021 Sales@ttcdas.com

www.ttcdas.com